



## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact [support@jstor.org](mailto:support@jstor.org).

Calculus Renis sinistri

Calculus Renis dextri




Fig: 1.

- A. Pars Calculi superior.  
B. Apex Calculi costas versus.  
C. Ramus.  
D. Ramus alter ureteris, caput ob-  
=struens.




Fig: 2.

1. Apex Calculi, costas respiciens.  
2. Pars Calculi superior.  
c. Protuberantia.  
d. Ramus Coxam versus se extendens.  
e. Cavitas ubi obaculus protuberantia  
= am. luteo proceffu faciens abruptus.  
f. Pars Calculi inferior ureteris  
caput occupans.




Fig: 3.




Fig: 4.

Supplicatur rel. Figuræ




Fig: 8.




Fig: 5.




Fig: 6.




Fig: 7.




Fig: 9.

Fig: 1. Porism.




Fig: 2. Porism.

Fig: 10.

Suppl. rel. Figuræ

Fig: 11.



IV. *Historia Sectionis Viri ex Renum Calculo defuncti. Ex Epistolâ Viri Doctissimi P. Hardiſway, M. D. ad Gulielmum Stukeley, M. D. Coll. Med. Lond. & Reg. Soc. Soc.*

**H**omo septuaginta circiter annos natus, ventris dolore horrendo correptus est die Octobris 19<sup>o</sup> An. 1722. Accesserunt Vomitus & Urinæ difficultas, præ doloris atrociâ sese erigere non poterat, sed misere incurvatus, dies noctesque prope focum jacebat ejulans. Sexto morbi die, urinâ prorsus suppressâ, de dolorosâ circa Hypochondria stricturâ, perinde ac a funibus circumjectis, querebatur, postea de pondere quodam in vesicâ molesto, quasi Rapi majoris, (sic aiebat) inibi hospitantis. Omnibus in pejus ruentibus, die morbi duodecimo ad plures abiit. Cadavere aperto vesicam secuimus, quam ab ullis vel minimis calculi vestigiis immunem invenimus; in utroque autem rene (multâ aquâ refertis) repertus est calculus, (*Fig. 1, 2.*) insignis, scaber & multiplici ramo per parenchyma se dispergens, quem integrum extrahere nullâ arte potuisses, nisi totâ prius frustulatiim decerpât carne. Ramorum maximus in ureteris caput se insinuans, perbelle adeo id occupaverat, ut ampulla obturamento suo arctius occludi vix posset. Ulterius scrutari nobis non licuit, ideo unum tantum addam, nempe, quod Omentum instar fasciæ angustioris sub hepate retractum deliteſcebat. Pauper erat & corpore athletico, semper sanus, nisi quod a paucis annis, aliquando fabulosa per urinas excerneret.